

Call

03500.014786

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Heather D. Gibbs
YUKITOSHI TAKEUCHI)	
	:	Art Unit: 2622
Application No.: 09/659,841)	
	:	
Filed: September 11, 2000)	
	:	
For: IMAGE READING APPARATUS)	
	:	
U.S. Patent No. 6,985,269 B1)	
	:	
Issued: January 10, 2006)	May 1, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAY 10 2006
of Correction

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

COLUMN 2

- Line 12, "with e.g." should read --with, e.g.,--;
- Line 40, "have" should read --to have--; and
- Line 57, "to" should read --is to--.


COLUMN 35

- Line 35, "thrown" should read --combined--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'J. A. Krause', written over a horizontal line.

John A. Krause
Attorney for Patentees
Registration No. 24,613

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_MAIN 565001v1